



MULTI-FAMILY METERING

New Uni-Pak NEC 2020 Compliant

usa.siemens.com/residential

Considering the specifics of the NEC 2020, Siemens updated the Uni-Pak multi-family metering portfolio.

Overall, the changes to the NEC are aimed at improving safety and clarity for those working with service disconnecting means.

The new requirements for grouped disconnects are intended to help ensure that these important safety features are properly installed and easily accessible when needed in order to be safely operated.

Code Section and new features:

- Section 230.62 – Line terminal barriers
- Section 230.71 – Separate compartments for disconnects
- Section 230.82 – Emergency disconnect labeling (included in carton)



SIEMENS

Uni-Pak 120/240V 1 Phase, 3 Wire

Suitable only for use as Service Equipment

Type 3R Outdoor Enclosure

7/16" and 7/8" Barrel Lock Provisions

EUSERC Compliant (see foot notes)

Catalog Number	Max. Bus Rating	Max. Meter Socket Rating	AIC Rating Max.	Max. Branch Rating	Meter Positions	Meter Socket Cover	5th Jaw Installed	Bypass Installed
(2) Service Disconnects in Separate Compartments								
WEPK2211*	200 A	125 A Cont.	100,000	125 A	2	Ring Type	No	N/A
WEPK2211RJ	200 A	125 A Cont.	100,000	125 A	2	Ringless	Yes	None
WEPK2211RJB	200 A	125 A Cont.	100,000	125 A	2	Ringless	Yes	Horn
WEPK4212**	400 A	200 A Cont.	65,000	225 A	2	Ring Type	No	N/A
WEPK4212RJ	400 A	200 A Cont.	65,000	225 A	2	Ringless	Yes	None
WEPK4212RJB	400 A	200 A Cont.	65,000	225 A	2	Ringless	Yes	Horn
(3) Service Disconnects in Separate Compartments								
WEPK3311**	300 A	125 A Cont.	100,000	125 A	3	Ring Type	No	N/A
WEPK3311RJ	300 A	125 A Cont.	100,000	125 A	3	Ringless	Yes	None
WEPK3311RJB	300 A	125 A Cont.	100,000	125 A	3	Ringless	Yes	Horn
WEPK4312**	400 A	200 A Cont.	65,000	225 A	3	Ring Type	No	N/A
WEPK4312RJ	400 A	200 A Cont.	65,000	225 A	3	Ringless	Yes	None
WEPK4312RJB	400 A	200 A Cont.	65,000	225 A	3	Ringless	Yes	Horn
(4) Service Disconnects in Separate Compartments								
WEPK4411**	400 A	125 A Cont.	100,000	125 A	4	Ring Type	No	N/A
WEPK4411RJ	400 A	125 A Cont.	100,000	125 A	4	Ringless	Yes	None
WEPK4411RJB	400 A	125 A Cont.	100,000	125 A	4	Ringless	Yes	Horn
WEPK4412**	400 A	200 A Cont.	65,000	225 A	4	Ring Type	No	N/A
WEPK4412RJ	400 A	200 A Cont.	65,000	225 A	4	Ringless	Yes	None
WEPK4412RJB	400 A	200 A Cont.	65,000	225 A	4	Ringless	Yes	Horn
WEPK5411**	500 A	125 A Cont.	100,000	125 A	4	Ring Type	No	N/A
WEPK5411RJ	500 A	125 A Cont.	100,000	125 A	4	Ringless	Yes	None
WEPJ5411RJB	500 A	125 A Cont.	100,000	125 A	4	Ringless	Yes	Horn
WEPK6412**	600 A	200 A Cont.	65,000	225 A	4	Ring Type	No	N/A
WEPK6412RJ	600 A	200 A Cont.	65,000	225 A	4	Ringless	Yes	None
WEPK6412RJB	600 A	200 A Cont.	65,000	225 A	4	Ringless	Yes	Horn
(5) Service Disconnects in Separate Compartments								
WEPK4511**	400 A	125 A Cont.	100,000	125 A	5	Ring Type	No	N/A
WEPK4511RJ	400 A	125 A Cont.	100,000	125 A	5	Ringless	Yes	None
WEPK4511RJB	400 A	125 A Cont.	100,000	125 A	5	Ringless	Yes	Horn
WEPK6511**	600 A	125 A Cont.	100,000	125 A	5	Ring Type	No	N/A
WEPK6511RJ	600 A	125 A Cont.	100,000	125 A	5	Ringless	Yes	None
WEPK6511RJB	600 A	125 A Cont.	100,000	125 A	5	Ringless	Yes	Horn
WEPK6512**	600 A	200 A Cont.	100,000	225 A	5	Ring Type	No	N/A
WEPK6512RJ	600 A	200 A Cont.	100,000	225 A	5	Ringless	Yes	None
WEPK6512RJB	600 A	200 A Cont.	100,000	225 A	5	Ringless	Yes	Horn

Catalog Number	Max. Bus Rating	Max. Meter Socket Rating	AIC Rating Max.	Max. Branch Rating	Meter Positions	Meter Socket Cover	5th Jaw Installed	Bypass Installed
(6) Service Disconnects in Separate Compartments								
WEPK4611**	400 A	125 A Cont.	100,000	125 A	6	Ring Type	No	N/A
WEPK4611RJ	400 A	125 A Cont.	100,000	125 A	6	Ringless	Yes	None
WEPK4611RJB	400 A	125 A Cont.	100,000	125 A	6	Ringless	Yes	Horn
WEPK6611**	600 A	125 A Cont.	100,000	125 A	6	Ring Type	No	N/A
WEPK6611RJ	600 A	125 A Cont.	100,000	125 A	6	Ringless	Yes	None
WEPK6611RJB	600 A	125 A Cont.	100,000	125 A	6	Ringless	Yes	Horn
WEPK6612**	600 A	200 A Cont.	65,000	225 A	6	Ring Type	No	N/A
WEPK6612RJ	600 A	200 A Cont.	65,000	225 A	6	Ringless	Yes	None
WEPK6612RJB	600 A	200 A Cont.	65,000	225 A	6	Ringless	Yes	Horn
WEPK8612	800 A	200 A Cont.	65,000	225 A	6	Ring Type	No	N/A
WEPK8612RJ	800 A	200 A Cont.	65,000	225 A	6	Ringless	Yes	None
WEPK8612RJB	800 A	200 A Cont.	65,000	225 A	6	Ringless	Yes	Horn
WEPK10612	1000 A	200 A Cont.	65,000	225 A	6	Ring Type	No	N/A
WEPK10612RJ	1000 A	200 A Cont.	65,000	225 A	6	Ringless	Yes	None
WEPK10612RJB	1000 A	200 A Cont.	65,000	225 A	6	Ringless	Yes	Horn

* Meets EUSERC

** Meets EUSERC with Stud Kit WPKSK600 Installed
Accepts Stud Kit but is not EUSERC Compliant

Uni-Pak 120/240V 1 Phase, 3 Wire

Suitable only for use as Service Equipment

Type 3R Outdoor Enclosure

7/16" and 7/8" Barrel Lock Provisions

Catalog Number	Max. Bus Rating	Max. Meter Socket Rating	AIC Rating Max.	Max. Branch Rating	Meter Positions	Meter Socket Cover	5th Jaw Installed	Bypass Installed
(2) Service Disconnects in Separate Compartments								
WPK2211	200 A	125 A Cont.	100,000	125 A	2	Ring Type	No	N/A
WPK2211RB	200 A	125 A Cont.	100,000	125 A	2	Ringless	No	Yes
WPK2211RJ	200 A	125 A Cont.	100,000	125 A	2	Ringless	Yes	No
WPK2211RJB	200 A	125 A Cont.	100,000	125 A	2	Ringless	Yes	Yes
WPK4212	400 A	200 A Cont.	65,000	225 A	2	Ring Type	No	N/A
WPK4212RB	400 A	200 A Cont.	65,000	225 A	2	Ringless	No	Yes
WPK4212RJ	400 A	200 A Cont.	65,000	225 A	2	Ringless	Yes	No
WPK4212RJB	400 A	200 A Cont.	65,000	225 A	2	Ringless	Yes	Yes
(3) Service Disconnects in Separate Compartments								
WPK3311	300 A	125 A Cont.	100,000	125 A	3	Ring Type	No	N/A
WPK3311RB	300 A	125 A Cont.	100,000	125 A	3	Ringless	No	Yes
WPK3311RJ	300 A	125 A Cont.	100,000	125 A	3	Ringless	Yes	No
WPK3311RJB	300 A	125 A Cont.	100,000	125 A	3	Ringless	Yes	Yes
WPK4312	400 A	200 A Cont.	65,000	225 A	3	Ring Type	No	N/A
WPK4312RB	400 A	200 A Cont.	65,000	225 A	3	Ringless	No	Yes
WPK4312RJ	400 A	200 A Cont.	65,000	225 A	3	Ringless	Yes	No
WPK4312RJB	400 A	200 A Cont.	65,000	225 A	3	Ringless	Yes	Yes
(4) Service Disconnects in Separate Compartments								
WPK4411	400 A	125 A Cont.	100,000	125 A	4	Ring Type	No	N/A
WPK4411RB	400 A	125 A Cont.	100,000	125 A	4	Ringless	No	Yes
WPK4411RJ	400 A	125 A Cont.	100,000	125 A	4	Ringless	Yes	No
WPK4411RJB	400 A	125 A Cont.	100,000	125 A	4	Ringless	Yes	Yes
WPK4412	400 A	200 A Cont.	65,000	225 A	4	Ring Type	No	N/A
WPK4412RB	400 A	200 A Cont.	65,000	225 A	4	Ringless	No	Yes
WPK4412RJ	400 A	200 A Cont.	65,000	225 A	4	Ringless	Yes	No
WPK4412RJB	400 A	200 A Cont.	65,000	225 A	4	Ringless	Yes	Yes
WPK5411	500 A	125 A Cont.	100,000	125 A	4	Ring Type	No	N/A
WPK5411RB	500 A	125 A Cont.	100,000	125 A	4	Ringless	No	Yes
WPK5411RJ	500 A	125 A Cont.	100,000	125 A	4	Ringless	Yes	No
WPK5411RJB	500 A	125 A Cont.	100,000	125 A	4	Ringless	Yes	Yes
WPK6412	600 A	200 A Cont.	65,000	225 A	4	Ring Type	No	N/A
WPK6412RB	600 A	200 A Cont.	65,000	225 A	4	Ringless	No	Yes
WPK6412RJ	600 A	200 A Cont.	65,000	225 A	4	Ringless	Yes	No
WPK6412RJB	600 A	200 A Cont.	65,000	225 A	4	Ringless	Yes	Yes

Catalog Number	Max. Bus Rating	Max. Meter Socket Rating	AIC Rating Max.	Max. Branch Rating	Meter Positions	Meter Socket Cover	5th Jaw Installed	Bypass Installed
(5) Service Disconnects in Separate Compartments								
WPK4511	400 A	125 A Cont.	100,000	125 A	5	Ring Type	No	N/A
WPK4511RB	400 A	125 A Cont.	100,000	125 A	5	Ringless	No	Yes
WPK4511RJ	400 A	125 A Cont.	100,000	125 A	5	Ringless	Yes	No
WPK4511RJB	400 A	125 A Cont.	100,000	125 A	5	Ringless	Yes	Yes
WPK6511	600 A	125 A Cont.	100,000	125 A	5	Ring Type	No	N/A
WPK6511RB	600 A	125 A Cont.	100,000	125 A	5	Ringless	No	Yes
WPK6511RJ	600 A	125 A Cont.	100,000	125 A	5	Ringless	Yes	No
WPK6511RJB	600 A	125 A Cont.	100,000	125 A	5	Ringless	Yes	Yes
WPK6512	600 A	200 A Cont.	65,000	225 A	5	Ring Type	No	N/A
WPK6512RB	600 A	200 A Cont.	65,000	225 A	5	Ringless	No	Yes
WPK6512RJ	600 A	200 A Cont.	65,000	225 A	5	Ringless	Yes	No
WPK6512RJB	600 A	200 A Cont.	65,000	225 A	5	Ringless	Yes	Yes
(6) Service Disconnects in Separate Compartments								
WPK4611	400 A	125 A Cont.	100,000	125 A	6	Ring Type	No	N/A
WPK4611RB	400 A	125 A Cont.	100,000	125 A	6	Ringless	No	Yes
WPK4611RJ	400 A	125 A Cont.	100,000	125 A	6	Ringless	Yes	No
WPK4611RJB	400 A	125 A Cont.	100,000	125 A	6	Ringless	Yes	Yes
WPK6611	600 A	125 A Cont.	100,000	125 A	6	Ring Type	No	N/A
WPK6611RB	600 A	125 A Cont.	100,000	125 A	6	Ringless	No	Yes
WPK6611RJ	600 A	125 A Cont.	100,000	125 A	6	Ringless	Yes	No
WPK6611RJB	600 A	125 A Cont.	100,000	125 A	6	Ringless	Yes	Yes
WPK6612	600 A	200 A Cont.	65,000	225 A	6	Ring Type	No	N/A
WPK6612RB	600 A	200 A Cont.	65,000	225 A	6	Ringless	No	Yes
WPK6612RJ	600 A	200 A Cont.	65,000	225 A	6	Ringless	Yes	No
WPK6612RJB	600 A	200 A Cont.	65,000	225 A	6	Ringless	Yes	Yes
WPK8612	800 A	200 A Cont.	65,000	225 A	6	Ring Type	No	N/A
WPK8612RB	800 A	200 A Cont.	65,000	225 A	6	Ringless	No	Yes
WPK8612RJ	800 A	200 A Cont.	65,000	225 A	6	Ringless	Yes	No
WPK8612RJB	800 A	200 A Cont.	65,000	225 A	6	Ringless	Yes	Yes
WPK10612	1000 A	200 A Cont.	65,000	225 A	6	Ring Type	No	N/A
WPK10612RB	1000 A	200 A Cont.	65,000	225 A	6	Ringless	No	Yes
WPK10612RJ	1000 A	200 A Cont.	65,000	225 A	6	Ringless	Yes	No
WPK10612RJB	1000 A	200 A Cont.	65,000	225 A	6	Ringless	Yes	Yes

Legal Manufacturer

Siemens Industry, Inc.
3617 Parkway Ln
Peachtree Corners, GA 30092
United States of America

Telephone: +1 (800) 333-7421
www.usa.siemens.com/residential

Order No. RPFL-UNIP-0423
© 04.2023, Siemens Industry, Inc.

This document contains a general description of available technical options only, and its effectiveness will be subject to specific variables including field conditions and project parameters. Siemens does not make representations, warranties, or assurances as to the accuracy or completeness of the content contained herein. Siemens reserves the right to modify the technology and product specifications in its sole discretion without advance notice.

SIEMENS