

Catalog No	Qty	Description
75D73070A	1	AC Coil, Size 00 to 2-1/2, 120/240
75D73070C	2	Ac coil, size 00 to 2-1/2, 240/480
75D73070J	1	AC coils, size 00 to 2-1/2, 24
75D73070A	1	
52BAK	6	Actuator-/indicator component contact block with 1 contact element screw terminal,1NO heavy duty contacts related A600/
52BJK	5	accessories switch -
49SASB1	1	SELECTOR SWITCH"A3"AUTO-OFF-HAND
49SAPB5	1	Pushbutton "A1" START-STOP Pushbutton
52SB2CAB	2	Metal, selector switch Maintained, long lever Position, C Cam 3 position Operator only white insert Non-Illuminated UL file E22655 in Vol. 6 (7) Sec. 13 (2)
52SB2BAB	1	Metal, selector switch Maintained, long lever Position, B Cam 3 position Operator only white insert Non-Illuminated UL file E22655 in Vol. 6 (7) Sec. 13 (2)
52PA8	1	Pushbutton, metal No cap, NA, 2 position Operator only Momentary Non-Illuminated UL file E22655 in Vol. 6 (7) Sec. 13 (2)
52PB9D2	1	METAL, PUSHBUTTON, 1 5/8" PLASTIC 2 POSITION OPERATOR ONLY MOMENTARY RED NON-ILLUMINATED UL FILE E22655 IN VOL. 6 (7) SEC. 13 (2)
52PA6H3A	1	oil tight pilot light push to test transformer type
52PA3A3U	1	oil tight push pull operator
52PB9	1	oil tight mushroom operator base only
52PA4E3	1	oil tight pilot light
52PA8A1	1	PUSHBUTTON-52PA8A1 Switch Command
52PA4E2	1	oil tight pilot light
75M746CG	1	MT/46 relay coil replacement
52BAJ	8	oil tight NC contact block
75AF14	2	CONTACTS PART KIT HOLDING CIRCUIT
75EF14	1	Contact part kit 1 pole Contact part kit 1 pole
75EF14	1	
75GF14	1	PARTKIT 1 POLE SZ 2 1/2
52AABA	1	Accessory for CL52, 30mm Protective Boot Silicone Rubber, Clear for use with Flush Push button Operators Offers Protection From Ice And Foreign Substances From Interfering with Button Operation
52RA1A7	1	FLUSH COLORED CAP BROWN
52RA1A8	1	CAP FLUSH ORANGE
52RB3D1	2	PUSH BUTTON CAP MUSHROOM HEAD BLACK COLOR PLASTIC MATERIAL NON-ILLUMINATED 1-5/8 INCH DIAMETER
52RB3D2	1	DISCONTINUED BY MANUFACTURER PUSH BUTTON CAP MUSHROOM HEAD RED COLOR PLASTIC MATERIAL NON-ILLUMINATED 1-5/8 INCH DIAMETER
D53493010	1	LEGEND INSERT ORANGE DOWN Legend Plate Pilot Devices
D53493001	1	
52NL03	1	Start, 1/2 Round, Aluminum, Brushed Aluminum, 1.44 in Ht, 2 in Wd
52NL04	1	Switch, accy, Lgnd plate, STOP(brushed alum.), 1-7/16 x 2 in., series 51/52
52NL04R	1	Accessory for Class 51 & 52 Legend Plate, Red Aluminum Large (1 1/4" x 2") Inscription: Stop
52NL05	1	For use with 3/4" NPSM and 30 mm threaded mounting shafts
52NL06	1	For use with 3/4" NPSM and 30 mm threaded mounting shafts

Catalog No	Qty	Description
52NL07	1	For use with 3/4" NPSM and 30 mm threaded mounting shafts
52NL08	1	For use with 3/4" NPSM and 30 mm threaded mounting shafts
52NL09	1	Accessory for Class 51 & 52 Legend Plate, Brushed Aluminum Large (1 1/4" x 2") Inscription: Up
52NL10	1	Accessory For Class 51 (&) 52 Legend Plate, Brushed Aluminum Large (1 1/4 X 2)
52NL11	1	Accessory for Class 51 & 52 Legend Plate, Brushed Aluminum Large (1 1/4" x 2")
52NL14	1	Siemens Legend Plate, Heavy Duty Large, Rectangle Plate Shape, Push Button Operator, Legend: Reset, 1-1/4 in Height, 2 in Width, Brushed Aluminum Field
52NL16R	1	Accessory, Legend Emerg Stop Red
52NL19	1	Class 52 Legend Plate, 1-7/16 in H x 2 in W, Half Round Plate, Plastic, Brushed Aluminum Field
52NL20	1	Class 52 Legend Plate, 1-7/16 in H x 2 in W, Half Round Plate, Plastic, Brushed Aluminum Field
52NL23	1	Class 52 2-Row Large Non-Illuminated Legend Plate, 1-7/16 in H x 2 in W, Half Round Plate, Aluminum Alloy, Brushed Aluminum Field
52NL32	1	Legend Plate, 1/2 Round, Legend Start-Stop, For Use With 30mm Push buttons, Class 51 and Class 52 Pilot Device, Legend/Background Color Black/Brushed Aluminum, Material Aluminum, Height 1.44 in, Width 2 in
52NL37	1	Switch, accy, Lgnd plate, HAND OFF AUTO(alum.), 1-7/16 x 2 in., series 51/52
52NL44	1	Legend plate for use with class 51 and class 52 switches, "HIGH-OFF-LOW" inscription 1-7/16" height and 2" width plate
52NL47	1	Accessory for Class 51 & 52 Legend Plate, Brushed Aluminum Large (1 1/4" x 2") Inscription: Pull To Start Push To Stop
46MTZM	5	for MT/46 relay
49AAFC	5	SIZE: 00 THRU 3-1/2 CONTACT RATING: NEMA A600 CONTAINS: 1 INTERLOCK ASSEMBLY & 1 MOUNTING BASE
75BF14	1	SIEM-75BF14 CONTACTS PART KIT 1 POLE
75CF14	3	Contact Module For Use With Innova Controller, Power Pole
75DF14	3	On 3-phase controls, all 3-poles should be replaced - 3 kits required Replacement Contacts for Siemens Class 14, 17, 18, 22, 25, 26, 30, 32, 36, 37, 40, 43, 83, 84, 87, 88
75EF14	1	
75FF14	3	power pole innova 45
75FP14	3	Size 2 contact kit Contact kit size 2
75GP14	1	Contact kit 1 pole Size 2 1/2 Contact kit 1 pole Size 2 1/2
49D54682NC	1	AUXILIARY INTERLOCK KIT
49D54682NO	1	AUXILIARY CONTACT BLOCK NORMALLY OPEN
49D22125001	1	Auxiliary Contact, 1NO, 75-90A Definite Purpose Contactors, Snap-On/Side Mount
49D22125002	1	AUXILIARY INTERLOCK SINGLE POLE NORMALLY CLOSED SCREW TERMINAL
H49	3	H49 Furnas Overload Relay Heater Element
49SAS04	1	selector switch kit legend off- on
52AALA	1	For flush pushbutton
52SB2AAB	1	Selector switch Metal Maintained Long lever position A Cam 2 position Operator only
75MT46CJ	1	MT/46 relay coil replacement
52SC6BE	1	3 pos B cam
52PB9D3	1	Momentary MSHD Pushbutton Green Nonilluminated Eaton 10250T Pushbutton, 10250T, 30.5 MM, Heavy-Duty, 40 MM, Nema 3, 3R, 4, 4X, 12, 13, Non-Illuminated, Momentary, Mushroom , Green Actuator, Chrome Bezel, Plastic Actuator

Catalog No	Qty	Description
52PA8	1	
52AALB	1	
52SB2CAB	1	
75D73070D	1	
52PA6G2A	1	Metal, Push to Test PL/III PB Momentary Transformer Type, 120V 2 position, 1NO-1NC Complete Device Red, Plastic Lens Illuminated, Incandescent Bulb UL File E22655 in Vol. 6 (7) Sec. 13 (2)
75D73070H	1	REPLACEMENT COIL 440V-480VAC 60HZ 380V-440VAC 50HZ COIL VOLTS STARTER SIZE: 1
46MTB40	1	4 poles
52PB9E3	1	PUSH BUTTON MOM GRN 2 1/2" PLASTIC 2POS
75D73070F	1	Replacement Coil Kit, 120 VAC, NEMA Type
50AA2C3	1	GEN STATION METAL FLSH CMPLT 1HOLE
49SAL0G	1	red pilot light kit
75D73070G	1	COIL REPLACEMENT KIT240VACSTARTER SIZE 1 FOR USE WITH NEMA SIZE 00-2.5
75D73070C	1	
52PB9E2	1	PUSH BUTTON MUSHROOM HEAD MOMENTARY RED 2 1/2" PLASTIC 2 POS
14BP32BC	1	
14BP32BA	1	
14BP32AC	1	
14BP32AA	2	
14DP32AA	1	
11CB2A	1	
46MTEB	1	
49EA42BEB	5	
69WC7	1	
69ES2	1	
49SAS01	1	
A14	1	
WR327A	1	
46MT20F	1	
46MT40F	1	
46MT60F	1	
46MT80F	1	
46MTLF	1	
H1243	0	
H1238	2	
H1228	3	
H1233	3	
H1223	3	
H1218	2	
H1213	1	
H1208	2	

Catalog No	Qty	Description
H1203	2	
52EA21A	1	Push Button Enclosure
45CG20AG	2	Contactactor 2 Pole 20A 208-240
45CA20AG	1	Contactactor 2 Pole 20A 208-240
45DG20AGX591	1	Contactactor 2 Pole 25A 208-240
45DG20AJX591	1	Contactactor 2 Pole 25A 24
45EG29AG	1	Contactactor 2 Pole 25A 208-240
45DG20AG	2	Contactactor 2 Pole 25A 208-240
45EG20AF	1	Contactactor 2 Pole 30A 120
42BE15AG106	1	Contactactor 2 Pole 30A 208-240
45FA20AG	2	Contactactor 2 Pole 35A 208-240
42DE15AJ106	2	Contactactor 2 Pole 50A 24V
42EE15AJ106	1	Contactactor 2 Pole 60A 24V
41NB30AGM	1	Contactactor 3 Pole 25A 208-240
42CF35AFBCC	2	Contactactor 3 Pole 40A 120
42DE35AJ106	2	Contactactor 3 Pole 50A 24
42CF25AJ	1	Contactactor 4 Pole 40A 24
42CE25AG106	1	Contactactor 4 Pole 40A 208-240
42CE25AJ106	1	Contactactor 4 Pole 40A 24
11DB5B	1	Motor Starter (Enclosure, Contactactor, Relay, Push Button) , Push Button 2P 35A 230V
49EA42BEB	6	Enclosure Only
11CB2A	1	Manual Starter 2P 230V
46MTEB	1	Enclosure Only
14DP32AA	1	Magnetic Starter 3P 24V
14B32AC	1	Magnetic Starter 3P 480V
14BP32AA	2	Magnetic Starter 3P 240V
14BP32BA	1	Magnetic Starter 3P 240V
14BP32BC	1	Magnetic Starter 3P 480V
H35	3	Overload Heater
H36	3	Overload Heater